

POWER WALKER

- Easy and portable type
- Max. AC output : 150W
- USB port : 2.1A x 2
- High power LED light
- Battery level indicator
- Battery replacement



USB Port



High Power LED Light



Charge In



AC/DC Adapter



Battery Replacement

ITEM NO.	UP-5HAA	UP-5HBA
Output voltage	AC 100 / 110 / 120 / 220 (According to different countries)	
	USB DC 5.0 V / 2.1 A	
Output wave	Modified sine wave	
Output power	150W (Continuously) , 300W (Peak)	
Charging time	3 - 4 hours (Charge in car)	
LED light	White light x 3LED (About 70 cd)	
Battery charging indicator	Green light	
Battery capacity	Lead-acid type 12 V / 9 AH	Lithium iron type 12 V / 9.45 AH
Approx. weight	4 .1 kgs	2.3 kgs
Dimension	27(L) X 10(W) X 22 (H) cm	



DIGIMAX INNOVATIVE PRODUCTS LTD.

2F., No.196, Sec. 2, Zhongxing Rd., Xindian Dist.,
New Taipei City 231, Taiwan R.O.C.
TEL: 886-2-8665-0966 FAX: 886-2-8665-0957



www.digimaxproducts.com

E-mail : marketing@digimaxproducts.com



AMPA SHOW

Taipei Int'l
Auto Parts &
Accessories
Show

We focus on
Hi Lumens & Green Energy



- Increases the safety and visibility during day and night times
- Includes control box
- Suitable for 12V & 24V vehicle
- Super brightness & wide angle reflector
- Universal design for all cars
- Water-resistant / Easy installation / Adjustable illumination angle for DIY purpose
- Low power consumption
- **ECE R87 Approval**






ITEM NO.: UP-4KVL	
Color	5000K (White)
Type	LED X 12
Lumen	1000 lm
Size	205(L) X 24.5(W) X 20(D) mm

ITEM NO.: UP-4KP2	
Color	5000K (White)
Type	LED X 12
Lumen	1200 lm
Size	205(L) X 24.5(W) X 20(D) mm



- As side marker for safety identification
- Built-in control box for 12V and 24V use
- Spreads the light out evenly



ITEM NO.: UP-4P69	
Color	5000K (White)
Type	LED X 6
Lumen	600 lm
Size	205(L) X 24.5(W) X 22(D) mm

ITEM NO.: UP-4P15	
Color	5000K (White)
Type	LED X 5
Lumen	500 lm
Size	134(L) X 20(W) X 15(D) mm



SMART BATTERY CHARGER


ITEM NO.: UP-A1A3	
AC input rated voltage	100 V~240 V
AC input frequency	47 Hz~63 Hz
AC input current	1.5 A / 0.75 A
AC input power	97 W
AC input quiescent current	0.05 A
DC output voltage range	>6 V
DC output current	5 A ± 10%
DC output power	75 W
Max. DC charge current	5 A
Max. DC charge voltage	14.7 V ± 0.3 V
DC floating voltage	13.65 V ± 0.2 V
Total charge hours	12 hrs ± 30 min
Max. floating charge hours	1 hr ± 15 min

12V/5A
AC100V ~ 240V




DIRECT CURRENT (DC) BULB

- Stanley LED used
- Applicable for 12V and 24V
- Non-polarized design
- Made for stand-alone solar and wind
- Warm white for indoor and outdoor use
- No hazard of electric shock



ITEM NO.: DD3XWM1R	
Input voltage range	DC 12 - 28 V
Power consumption	Max. 4.5 W
Color temperature	3000K
Luminous flux	250 LM ± 10%



SOLAR DECOY CAMERA

- Item No.: UAS82340
- Flashing red LED
- Uses indoors or outdoors
- Deters theft, robbery and vandalism without the high cost of a real security camera system
- Size: 17.8 x 15.2 x 7.6 cm



60 LED SOLAR MOTION LIGHT

- Item No.: UAS82156
- 60 white LEDs brighten up any outdoor space
- Solar panel is weather resistant & can be mounted almost anywhere
- Charges during the day and works at night
- Includes rechargeable batteries x 5
- Ideal for remote locations
- Size: 22.5 x 14.5 x 20.6 cm




PORTABLE ANION AIR PURIFIER


- Item No.: UP-3E11
- Creates full of anion to clean air as fresh as in forest.
- Not only decreases germ and odour efficiency, but also neutralizes remnant chemistry in car.
- No noise, material-consumption free and no more chemical contamination
- Portable designed for use in car, office, room or any polluted places.
- Built-in rechargeable battery to supply over 30 hours of continuous use!
- Size: 112 x 74.5 x 34.5 mm




- Lights on and off automatically when turning on the engines, or controls by remote manually
- Suitable for 12V & 24V vehicle by manual adjustment
- Universal design for all cars
- Water-resistant / Easy installation / Adjustable illumination angle for DIY purpose
- Low power consumption
- ECE R7 Approval



ITEM NO.: UP-4P35	
Color	White
Type	LED X 10
Lumen	1000 lm
Size	134(L) X 20(W) X 9.5(D) mm



ITEM NO.: UP-4K11	
Color	White
Type	Flat LED Light (COB)
Lumen	600 lm
Size	134(L) X 20(W) X 9.5(D) mm



ITEM NO.: UP-49A3	
Color	Blue
ITEM NO.: UP-49A6	
Color	White
Type	LED X 30
Size	130(L) X 18(W) X 40(D) mm




WEDGE LED LIGHT

- Super wide angle & wedge daylight
- The best safety and visibility during day and night
- Simply replace the yellow interior light
- Non-polarity and long life
- Perfect for position / auto interior lamp / tag lamp




NICHIA LED



ITEM NO.: UP-4KTW	
Color	White
Type	T10 Base / LED X 1 / COB X 2
Lumen	100 lm
Size	φ12.5(D) X 28.7(H) mm



LED INSIDE STANLEY



ITEM NO.: UP-4L65	
Color	5000K (White)
Type	T10 Base / LED X 3
Lumen	100 lm
Size	φ12.5(D) X 43(H) mm




6000K



5500K

NICHIA LED



ITEM NO.: UP-4LEA	
Color	6000K (White)
ITEM NO.: UP-4LEB	
Color	5500K (White)
Type	T10 Base / LED X 1 + Fiber
Size	φ12.5(D) X 28.5(H) mm

CAR PORTABLE SOLAR KIT

Using the power of the sun, the portable solar products offer an ideal way to maintain the 12 volt batteries of automobiles, boats, tractors and more!

- Made of durable ABS plastic and amorphous / crystalline solar cells
- Amorphous solar panel works in all daylight conditions, even on cloudy days
- Maintenance free / Easy installation
- Charges in all weather conditions
- Temperature Range: -40° F to 176° F

7.5W FOLDING CHARGER

- Item No.: UAS22007
- Including:
 - 12V female CLA adapter
 - Convenient hang-tabs
 - Secure velcro folding
- Size: 47 x 17 cm



7W BATTERY TRICKLE CHARGER

- Item No.: UAS51807
- Including:
 - 4 Stainless steel screws
 - 10ft Wire / 12V DC plug
 - Battery clamps
- Size: 33.3 x 35.6 x 1.9 cm



2.5W BATTERY MAINTAINER

- Item No.: UAS51802
- Including:
 - 7.5ft wire
 - Battery clamps
 - O ring connector & fuse
 - 12V DC plug
 - Suction cups
- Size: 35 x 12.7 x 1.3 cm



40W CRYSTALLINE PANEL KIT

- Item No.: UAS51840
- Including:
 - Extension wire
 - 7 Amp charge controller
 - Battery clamps
- Size: 78.7 x 35.6 x 1.3 cm



CAR PORTABLE SOLAR KIT


Eco-Friendly, Portable, More efficient,
Easy installation, Maintenance free



55W SOLAR 12V POWER GENERATOR KIT

- Item No.: UAS58051
- Solar panel: 18W thin-film solar panels x 3
- Metal frame
- 3 in 1 wire connectors
- 12V DC plug, alligator battery clamps and LED voltage tester
- 7Amp solar charge controller
- 200W inverter
- 12V socket

How it Works ?




150W SOLAR 12V POWER GENERATOR KIT

- Item No.: JSB1501201
- Solar panel: 50W polycrystalline silicon solar panel x 3
- Storage case with both storage and frame function
- 3 in 1 wire connectors
- 12V DC plug
- 500W 12V solar MPPT (Maximum Power Point Tracking)
- 1000W inverter (optional)



How it Works ?




SUPER FLAT LED LIGHT

- Chip on board LED light is a flat light , compared with SMD LED light
- High bright and no spot shadow
- Long life and good reliability
- Low consumption
- No extra wiring
- Easy to use and installation




ITEM NO.: UP-4K75	
Color	White
Type	Flat LED Light (COB)
Lumen	90 lm
Size	60(L) X 13(W) X 9(D) mm


12V/24V available




ITEM NO.: UP-4KEQ	
Color	White
Type	Flat LED Light (COB)
Lumen	70 lm
Size	30(L) X 22(W) X 7(D) mm



ITEM NO.: UP-4KFR	
Color	White
Type	Flat LED Light (COB)
Lumen	80 lm
Size	24(L) X 24(W) X 7(D) mm





ITEM NO.: UP-4KGS	
Color	White
Type	Flat LED Light (COB)
Lumen	90 lm
Size	60(L) X 24(W) X 7(D) mm



ITEM NO.: UP-4KHT	
Color	White
Type	Flat LED Light (COB)
Lumen	160 lm
Size	36(L) X 38(W) X 7(D) mm


INTERIOR LED LIGHT

CAR INVERTER



ITEM NO.: UP-4LG	
Color	White
Type	T31 Base / LED X 1
Lumen	60 lm
Size	φ10(D) X 31(H) mm


ITEM NO.: UP-4KJQ	
Color	White
Type	T31 Base / Flat LED Light (COB)
Lumen	80 lm
Size	31(L) X 25(W) X 9(D) mm



ITEM NO.: UP-4KIQ	
Color	White
Type	T10 Base / Flat LED Light (COB)
Lumen	80 lm
Size	27(L) X 25(W) X 13(D) mm

EXTRA SUPER BRIGHT LED

- The best safety and visibility during day and night
- Powered by the source from door lamp, small lamp or fog lamp
- Built-in microchip with "Constant-On" and "Strobe" modes
- 12V available & simple DIY wiring
- Water-resistant




ITEM NO.: UP-4B43	
Color	White LED to White strobe
ITEM NO.: UP-4B44	
Color	Blue LED to Blue strobe
LED	LED X 6
Size	69(L) X 13(W) X 9.5(D) mm

ITEM NO.: UP-4B55	
Color	White LED to Colorful strobe
ITEM NO.: UP-4BA6	
Color	Colorful LED to Colorful strobe
LED	LED X 3
Size	69(L) X 13(W) X 9.5(D) mm




PURE SINE WAVE



Item No.	Wattage	AC Output	AC Outlets	Remote Control	DC Input	Safety Available
UP-8B2H	650W	100 / 120 / 230 V	2	N/A	12V / 24V	ETL
UP-8B2L	1000W	100 / 120 / 230 V	2	Optional	12V / 24V	E-MARK
UP-8B2R	2500W	100 / 120 / 230 V	4	Optional	12V / 24V	LVD

MODIFIED SINE WAVE + USB PORT



- Either AC or USB power supply
- Light & compact
- Battery cable clip



Item No.	Wattage	AC Output	AC Outlets	Size	DC Input	USB Port	Safety Available
UP-53DA	200W	230 V	1	155 X 123 X 67 mm	12V / 24V	1.0A	ETL
UP-53DF	400W	230 V	1	190 X 123 X 67 mm	12V / 24V	1.0A	E-MARK
UP-53DH	600W	230 V	1	240 X 150 X 77 mm	12V / 24V	1.0A	LVD



Item No.	Wattage	AC Output	AC Outlets	Size	DC Input	USB Port	Safety Available
UP-8P38	150W	100 / 120 V	2	155 X 100 X 50 mm	12V / 24V	12V / 2.1A	ETL
UP-8P3C	300W	100 / 120 V	2	155 X 100 X 50 mm	12V / 24V		
UP-8P3G	500W	100 / 120 V	2	155 X 100 X 50 mm	12V / 24V	24V / 1.0A	E-MARK
UP-8P4L	1000W	100 / 120 V	3	306 X 180 X 84 mm	12V / 24V		
UP-8P4N	1500W	100 / 120 V	3	306 X 180 X 84 mm	12V / 24V	24V / 1.0A	LVD
UP-8P4Q	2000W	100 / 120 V	3	306 X 180 X 84 mm	12V / 24V		
UP-8PAL	1000W	230 V	2	306 X 180 X 84 mm	12V / 24V		
UP-8PAN	1500W	230 V	2	306 X 180 X 84 mm	12V / 24V		